## Tough and efficient - for heavy duty applications

The MH 6P series features machines with high power & pressure for tough cleaning tasks. Ideal for heavy use in agriculture, construction, transport or industrial segments.
MH 6P is the new addition to the Nilfisk premium hot water high pressure washer range. The tough and efficient MH 6P series combines low running costs, ease of use, and high cleaning efficiency. A very effective tool for heavy duty, industrial hot water cleaning in any sector. The MH 6P series features low running and maintenance costs, robustness, durability and high cleaning efficiency. Heating costs are reduced with the award-winning EcoPower boiler technology which delivers hot water quickly and efficiently, helping reduce fuel consumption and operating costs while maintaining strong cleaning performance. MH 6P features the high performance 4 piston NA6 pump.




Picture shown may not represent model quoted

- EcoPower Boiler technology , which delivers hot water quickly and efficiently, helping reduce fuel consumption and operating costs while maintaining strong cleaning performance >92% efficiency giving reduced fuel costs
- Brass pump head
- 4 ceramic pistons
- Flow activated unloader system
- Innovative design with 4 big wheels
- Easy to transport, can even be pushed/pulled across uneven surfaces
- Oil tank and oil sight
- Low pump oil warning system
- Low fuel warning system
- Onboard diagnostics function
- Easy to use control panel

● Standard equipment

| Included accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
| **High Pressure Female Coupling** | | | | | | |
|  | HOSE NOZZLE 20R3/4 | 61369 | 0 | ● | ● | ● |
| **High Pressure Hose, DN8** | | | | | | |
|  | HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL | 101405770 | 0 | | | |
| **High Pressure Hose, DN10** | | | | | | |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | ● | ● | |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Included accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | | | • |
| **Tornado Nozzle with Indication Ring** | | | | | | |
|  | NOZZLE 0550 IND. RING NEONGREEN | 101119743 | 0 | | | |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 0 | | • | |
|  | NOZZLE 0700 IND. RING ORANGE | 101119748 | 0 | | | |
|  | NOZZLE 0750 INDICATION RING SKIN RED | 101119749 | 0 | • | | • |

• Standard equipment

| Included accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
| **High Pressure Female Coupling** | | | | | | |
|  | HOSE NOZZLE 20R3/4 | 61369 | 0 | • | • | • |
| **High Pressure Hose, DN8** | | | | | | |
|  | HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL | 101405770 | 0 | | | • |
| **High Pressure Hose, DN10** | | | | | | |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | | • | |
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | • | | |
| **Tornado Nozzle with Indication Ring** | | | | | | |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Included accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | NOZZLE 0550 IND. RING NEONGREEN | 101119743 | 0 | | | • |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 0 | • | | |
|  | NOZZLE 0700 IND. RING ORANGE | 101119748 | 0 | | • | |
|  | NOZZLE 0750 INDICATION RING SKIN RED | 101119749 | 0 | | | |

• Standard equipment

| Included accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
| **High Pressure Female Coupling** | | | | |
|  | HOSE NOZZLE 20R3/4 | 61369 | 0 | • |
| **High Pressure Hose, DN8** | | | | |
|  | HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL | 101405770 | 0 | |
| **High Pressure Hose, DN10** | | | | |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | • |
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | |
| **Tornado Nozzle with Indication Ring** | | | | |
|  | NOZZLE 0550 IND. RING NEONGREEN | 101119743 | 0 | |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Included accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 0 | • |
|  | NOZZLE 0700 IND. RING ORANGE | 101119748 | 0 | |
|  | NOZZLE 0750 INDICATION RING SKIN RED | 101119749 | 0 | |

| Model | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|
| Ref. no. | 107146960 | 107146961 | 107146963 |
| PRODUCT FEATURES | | | |
| EcoPower boiler-high efficiency | • | • | • |
| Hose reel | | | • |
| Pump oil warning system | • | • | • |
| Service indicator | • | • | • |
| Automatic on/off and delayed action | • | • | • |
| Flame sensor | • | • | • |

| Model | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|
| Ref. no. | 107146964 | 107146966 | 107146977 |
| PRODUCT FEATURES | | | |
| EcoPower boiler-high efficiency | • | • | • |
| Hose reel | • | | |
| Pump oil warning system | • | • | • |
| Service indicator | • | • | • |
| Automatic on/off and delayed action | • | • | • |
| Flame sensor | • | • | • |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Model | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|
| Ref. no. | 107146971 |
| PRODUCT FEATURES | |
| EcoPower boiler-high efficiency | • |
| Hose reel | |
| Pump oil warning system | • |
| Service indicator | • |
| Automatic on/off and delayed action | • |
| Flame sensor | • |

| Technical specifications | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|
| Pump Pressure (bar/MPa) | 175/17.5 | 200/20 | 175/17.5 |
| Cleaning impact (kg/force) | 6.2 | 6.9 | 6.2 |
| Pump (RPM) | 1450 | 1450 | 1450 |
| Power consumption (kW) | 8.5 | 9.1 | 8.5 |
| Voltage/phase/frequency/current (V/~/Hz/A) | 400/3/50/14.5 | 400/3/50/15.5 | 400/3/50/14.5 |
| Water flow Qmax/Qiec (l/h) | 1250/1150 | 1300/1200 | 1250/1150 |
| Water temperature (water/steam) (°C) | 90/150 | 90/150 | 90/150 |
| El cable (m) | 5 | 5 | 5 |
| Fuel consumption at ΔT=45°C (kg/h) | 5.4 | 5.3 | 5.4 |
| Fuel tank (l) | 30 | 30 | 30 |
| Detergent tank (l) | A: 10 + B: 10 | A: 10 + B: 10 | A: 10 + B: 10 |
| Nozzle size | .0750 | .0680 | .0750 |
| Max. inlet temperature (°C) | 40 | 40 | 40 |
| Ceramic pistons | 4 | 4 | 4 |
| Length x width x height (mm) | 1188x700x1020 | 1188x700x1045 | 1188x700x1020 |
| Weight (kg) | 180 | 198 | 188 |
| Recommended avg. hours of use per day | 6 | 6 | 6 |

| Technical specifications | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|
| Pump Pressure (bar/MPa) | 200/20 | 195/19.5 | 210/21 |
| Cleaning impact (kg/force) | 6.9 | 7 | 6.1 |
| Pump (RPM) | 1450 | 1750 | 1450 |
| Power consumption (kW) | 9.1 | 9.2 | 8.8 |
| Voltage/phase/frequency/current (V/~/Hz/A) | 400/3/50/15.5 | 220-440/3/60/13 | 200/3/50/29 |
| Water flow Qmax/Qiec (l/h) | 1300/1200 | 1350/1250 | 1100/1050 |
| Water temperature (water/steam) (°C) | 90/150 | 90/150 | 90/150 |
| El cable (m) | 5 | 5 | 5 |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Technical specifications | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|
| Fuel consumption at ΔT=45°C (kg/h) | 5.3 | 5.5 | 4.7 |
| Fuel tank (l) | 30 | 30 | 30 |
| Detergent tank (l) | A: 10 + B: 10 | A: 10 + B: 10 | A: 10 + B: 10 |
| Nozzle size | .0680 | .0700 | .0550 |
| Max. inlet temperature (°C) | 40 | 40 | 40 |
| Ceramic pistons | 4 | 4 | 4 |
| Length x width x height (mm) | 1188x700x1045 | 1188x700x1045 | 1188x700x1020 |
| Weight (kg) | 207 | 216 | 179 |
| Recommended avg. hours of use per day | 6 | 6 | 6 |

| Technical specifications | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|
| Pump Pressure (bar/MPa) | 200/20 |
| Cleaning impact (kg/force) | 6.9 |
| Pump (RPM) | 1450 |
| Power consumption (kW) | 9.1 |
| Voltage/phase/frequency/current (V/~/Hz/A) | 230-400/3/50/14 |
| Water flow Qmax/Qiec (l/h) | 1300/1200 |
| Water temperature (water/steam) (°C) | 90/150 |
| El cable (m) | 5 |
| Fuel consumption at ΔT=45°C (kg/h) | 5.3 |
| Fuel tank (l) | 30 |
| Detergent tank (l) | A: 10 + B: 10 |
| Nozzle size | .0680 |
| Max. inlet temperature (°C) | 40 |
| Ceramic pistons | 4 |
| Length x width x height (mm) | 1188x700x1045 |
| Weight (kg) | 207 |
| Recommended avg. hours of use per day | 6 |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
| **High Pressure Female Coupling** | | | | | | |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 0 | ○ | ○ | ○ |
|  | HOSE NOZZLE 20R3/4 | 61369 | 0 | • | • | • |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN8** | | | | | | |
|  | HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL | 101405770 | 0 | ○ | ○ | ○ |
|  | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN10** | | | | | | |
|  | HP HOSE DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 2052 AGR-AGR | 1402924 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 5000 AGR-AGR | 1402940 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | • | • | ○ |
|  | HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | ○ | ○ | ● |
|  | HP HOSE DN10 25000 AGR-AGR | 1402080 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 30000 AGR-AGR | 1402098 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 50000 AGR-AGR | 1402759 | 0 | ○ | ○ | ○ |
| **Tornado Nozzle with Indication Ring** | | | | | | |
|  | NOZZLE 0550 IND. RING NEONGREEN | 101119743 | 0 | | | |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 0 | | ● | |
|  | NOZZLE 0700 IND. RING ORANGE | 101119748 | 0 | | | |
|  | NOZZLE 0750 INDICATION RING SKIN RED | 101119749 | 0 | ● | | ● |
|  | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ | ○ |
| **Ergo System Coupling and Adapter** | | | | | | |
|  | NIPPEL F. Q-COUPL. 3/8 INCH | 1600493 | 0 | ○ | ○ | ○ |
|  | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ | ○ |
|  | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| **High Pressure Male Coupling** | | | | | | |
|  | ADAPTER KEW QUICK COUPLING MALE 3/8 | 66159 | 0 | ○ | ○ | ○ |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 0 | ○ | ○ | ○ |
|  | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |
|  | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 0 | ○ | ○ | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 0 | ○ | ○ | ○ |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 0 | ○ | ○ | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 0 | ○ | ○ | ○ |
| **Hose and Connection** | | | | | | |
|  | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ | ○ |
|  | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ | ○ |
|  | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ | ○ |
| **Non Blacking High Pressure Hose, DN10** | | | | | | |
|  | HP HOSE DN10 GREY 10000 AGR-AGR | 6101767 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 15000 AGR-AGR | 1401983 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 20000 AGR-AGR | 1401991 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 25000 AGR-AGR | 1402007 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 30000 AGR-AGR | 1402015 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN12** | | | | | | |
|  | HP HOSE DN12 10000 AGR-AGR | 4810219 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN12 15000 AGR-AGR | 4810213 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN12 20000 AGR-AGR | 4810214 | 0 | ○ | ○ | ○ |
| **Hose Reel** | | | | | | |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 0 | ○ | ○ | ○ |
|  | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | ○ | ○ | |
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 0 | ○ | ○ | ○ |
|  | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0 | ○ | ○ | |
| **Spray Gun** | | | | | | |
|  | REP. KIT SWIVEL JOINT | 101119484 | 0 | ○ | ○ | ○ |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 0 | ○ | ○ | ○ |
| **Other** | | | | | | |
|  | EXHAUST PIPE 148X197 | 301001089 | 0 | ○ | ○ | ○ |
|  | SIDE BAR COMPL. | 106402110 | 0 | ○ | ○ | ○ |
|  | WATER SUCTION KIT 300 L/MIN 06 | 6402018 | 0 | ○ | ○ | ○ |
| **FlexoPower Lance** | | | | | | |
|  | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
| **Short Lance** | | | | | | |
|  | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 0 | ○ | ○ | ○ |
|  | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 0 | ○ | ○ | ○ |
| **Special Lance** | | | | | | |
|  | CURVED LANCE L1090 MM | 6402016 | 0 | ○ | ○ | ○ |
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 0 | ○ | ○ | ○ |
| **TurboHammer Nozzle** | | | | | | |
|  | NOZZLE TURBOHAMMER HEAD .0550 W11 | 48875 | 0 | | | |
| **Special Nozzle** | | | | | | |
|  | CONTAINER CLEANING NOZZLE | 15861 | 0 | ○ | ○ | ○ |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 0 | ○ | ○ | ○ |
|  | NOZZLE PROTECTION CAP PA | 18430 | 0 | ○ | ○ | ○ |
| **Filter Pressure Washer** | | | | | | |
|  | CARTRIDGE FILTER REPLACEM. 50 UM | 1104041 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | FILTER FOR WATER BREAK TANK ACCESS | 106403194 | 0 | ○ | ○ | ○ |
| **Brush Washing** | | | | | | |
|  | BRUSH INSERT | 10356 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH L2350 MM | 6400087 | 0 | ○ | ○ | ○ |
| **Brush Rotary** | | | | | | |
|  | BRISTLE. LONG | 6401431 | 0 | ○ | ○ | ○ |
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 0 | ○ | ○ | ○ |
|  | ROTARY BRUSH 065 L1700 MM | 6400016 | 0 | ○ | ○ | ○ |
| **Injector and Foam Sprayer** | | | | | | |
|  | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ | ○ |
|  | EXTENSION HOSE 30 CM WITH ERGO COUPLINGS | 301001311 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 0 | ○ | ○ | ○ |
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 0 | ○ | ○ | ○ |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | ○ | ○ | ○ |
| **Drain and Pipe Cleaning** | | | | | | |
|  | DRAIN AND PIPE HPW SET DN8 15M SAE100R7 | 128501792 | 0 | ○ | ○ | ○ |
|  | DRAIN AND PIPE HPW SET DN8 30M SAE100R7 | 128501793 | 0 | ○ | ○ | ○ |
|  | DRAIN NOZZLE 06. 3/8 | 2800894 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 20000 AGR-DRAIN CLEANER 06 | 6401268 | 0 | ○ | ○ | ○ |
|  | PIPE CLEANING HOSE 20M DN4 | 301002491 | 0 | ○ | ○ | ○ |
|  | PIPE CLEANING NOZZLE 1/8INC IG DN4 | 46921 | 0 | ○ | ○ | ○ |
|  | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918 | 0 | ○ | ○ | ○ |
| **Abrasive Blasting** | | | | | | |
|  | LANCE WITH RUBBER FLAT NOZZLE 06 | 6401365 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-175/1250 FA 400/3/50 EU | MH 6P-200/1300 FA 400/3/50 EU | MH 6P-175/1250 FAX 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | NOZZLE FOR WSB - FLAT RUBBER 10 PC. | 6402317 | 0 | ○ | ○ | ○ |
|  | SAND PLUGER AND HOSE VSB | 6400375 | 0 | ○ | ○ | ○ |
|  | SAND SUPER BLAST 25KG | 8379 | 0 | ○ | ○ | ○ |
| **External Control Unit** | | | | | | |
|  | REMOTE CONTROL 2X DETERGENT ACCESSORY | 106403196 | 0 | ○ | ○ | ○ |
| **Wet Filter** | | | | | | |
|  | FILTER WATER INLET 5000MM2 50µ MH BLUE | 107143705 | 0 | ○ | ○ | ○ |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
| **High Pressure Female Coupling** | | | | | | |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ | ○ |
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 0 | ○ | ○ | ○ |
|  | HOSE NOZZLE 20R3/4 | 61369 | 0 | ● | ● | ● |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN8** | | | | | | |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL | 101405770 | 0 | ○ | ○ | ● |
|  | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN10** | | | | | | |
|  | HP HOSE DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 2052 AGR-AGR | 1402924 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 5000 AGR-AGR | 1402940 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | ○ | ● | ○ |
|  | HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | ● | ○ | ○ |
|  | HP HOSE DN10 25000 AGR-AGR | 1402080 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 30000 AGR-AGR | 1402098 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | HP HOSE DN10 50000 AGR-AGR | 1402759 | 0 | ○ | ○ | ○ |
| **Tornado Nozzle with Indication Ring** | | | | | | |
|  | NOZZLE 0550 IND. RING NEONGREEN | 101119743 | 0 | | | • |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 0 | • | | |
|  | NOZZLE 0700 IND. RING ORANGE | 101119748 | 0 | | • | |
|  | NOZZLE 0750 INDICATION RING SKIN RED | 101119749 | 0 | | | |
|  | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ | ○ |
| **Ergo System Coupling and Adapter** | | | | | | |
|  | NIPPEL F. Q-COUPL. 3/8 INCH | 1600493 | 0 | ○ | ○ | ○ |
|  | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 0 | ○ | ○ | ○ |
|  | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ | ○ |
|  | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| **High Pressure Male Coupling** | | | | | | |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | ADAPTER KEW QUICK COUPLING MALE 3/8 | 66159 | 0 | ○ | ○ | ○ |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 0 | ○ | ○ | ○ |
|  | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |
|  | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 0 | ○ | ○ | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 0 | ○ | ○ | ○ |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 0 | ○ | ○ | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 0 | ○ | ○ | ○ |
| **Hose and Connection** | | | | | | |
|  | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ | ○ |
|  | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ | ○ |
| **Non Blacking High Pressure Hose, DN10** | | | | | | |
|  | HP HOSE DN10 GREY 10000 AGR-AGR | 6101767 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 15000 AGR-AGR | 1401983 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 20000 AGR-AGR | 1401991 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 25000 AGR-AGR | 1402007 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 GREY 30000 AGR-AGR | 1402015 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN12** | | | | | | |
|  | HP HOSE DN12 10000 AGR-AGR | 4810219 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN12 15000 AGR-AGR | 4810213 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN12 20000 AGR-AGR | 4810214 | 0 | ○ | ○ | ○ |
| **Hose Reel** | | | | | | |
|  | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | | ○ | ○ |
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 0 | ○ | ○ | ○ |
|  | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0 | | ○ | ○ |
| **Spray Gun** | | | | | | |
|  | REP. KIT SWIVEL JOINT | 101119484 | 0 | ○ | ○ | ○ |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 0 | ○ | ○ | ○ |
| **Other** | | | | | | |
|  | EXHAUST PIPE 148X197 | 301001089 | 0 | ○ | ○ | ○ |
|  | SIDE BAR COMPL. | 106402110 | 0 | ○ | ○ | ○ |
|  | WATER SUCTION KIT 300 L/MIN 06 | 6402018 | 0 | ○ | ○ | ○ |
| **FlexoPower Lance** | | | | | | |
|  | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
| **Short Lance** | | | | | | |
|  | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 0 | ○ | ○ | ○ |
|  | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 0 | ○ | ○ | ○ |
| **Special Lance** | | | | | | |
|  | CURVED LANCE L1090 MM | 6402016 | 0 | ○ | ○ | ○ |
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 0 | ○ | ○ | ○ |
| **TurboHammer Nozzle** | | | | | | |
|  | NOZZLE TURBOHAMMER HEAD .0550 W11 | 48875 | 0 | | | ○ |
| **Special Nozzle** | | | | | | |
|  | CONTAINER CLEANING NOZZLE | 15861 | 0 | ○ | ○ | ○ |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 0 | ○ | ○ | ○ |
|  | NOZZLE PROTECTION CAP PA | 18430 | 0 | ○ | ○ | ○ |
| **Filter Pressure Washer** | | | | | | |
|  | CARTRIDGE FILTER REPLACEM. 50 UM | 1104041 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | FILTER FOR WATER BREAK TANK ACCESS | 106403194 | 0 | ○ | ○ | ○ |
| **Brush Washing** | | | | | | |
|  | BRUSH INSERT | 10356 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 0 | ○ | ○ | ○ |
|  | WASH BRUSH L2350 MM | 6400087 | 0 | ○ | ○ | ○ |
| **Brush Rotary** | | | | | | |
|  | BRISTLE. LONG | 6401431 | 0 | ○ | ○ | ○ |
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 0 | ○ | ○ | ○ |
|  | ROTARY BRUSH 065 L1700 MM | 6400016 | 0 | ○ | ○ | ○ |
| **Injector and Foam Sprayer** | | | | | | |
|  | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | EXTENSION HOSE 30 CM WITH ERGO COUPLINGS | 301001311 | 0 | ○ | ○ | ○ |
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 0 | ○ | ○ | ○ |
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 0 | ○ | ○ | ○ |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | ○ | ○ | ○ |
| **Drain and Pipe Cleaning** | | | | | | |
|  | DRAIN AND PIPE HPW SET DN8 15M SAE100R7 | 128501792 | 0 | ○ | ○ | ○ |
|  | DRAIN AND PIPE HPW SET DN8 30M SAE100R7 | 128501793 | 0 | ○ | ○ | ○ |
|  | DRAIN NOZZLE 06. 3/8 | 2800894 | 0 | ○ | ○ | ○ |
|  | HP HOSE DN10 20000 AGR-DRAIN CLEANER 06 | 6401268 | 0 | ○ | ○ | ○ |
|  | PIPE CLEANING HOSE 20M DN4 | 301002491 | 0 | ○ | ○ | ○ |
|  | PIPE CLEANING NOZZLE 1/8INC IG DN4 | 46921 | 0 | ○ | ○ | ○ |
|  | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918 | 0 | ○ | ○ | ○ |
| **Abrasive Blasting** | | | | | | |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FAX 400/3/50 EU | MH 6P-195/1350 FA 220/440/3/60 EXPT | MH 6P-210/1100 FA 200/3/50 JP |
|---|---|---|---|---|---|---|
|  | LANCE WITH RUBBER FLAT NOZZLE 06 | 6401365 | 0 | ○ | ○ | ○ |
|  | NOZZLE FOR WSB - FLAT RUBBER 10 PC. | 6402317 | 0 | ○ | ○ | ○ |
|  | SAND PLUGER AND HOSE VSB | 6400375 | 0 | ○ | ○ | ○ |
|  | SAND SUPER BLAST 25KG | 8379 | 0 | ○ | ○ | ○ |
| **External Control Unit** | | | | | | |
|  | REMOTE CONTROL 2X DETERGENT ACCESSORY | 106403196 | 0 | ○ | ○ | ○ |
| **Wet Filter** | | | | | | |
|  | FILTER WATER INLET 5000MM2 50µ MH BLUE | 107143705 | 0 | ○ | ○ | ○ |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
| **High Pressure Female Coupling** | | | | |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ |
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 0 | ○ |
|  | HOSE NOZZLE 20R3/4 | 61369 | 0 | ● |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| | Accessories | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 0 | ○ |
| **High Pressure Hose, DN8** | | | | |
|  | HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL | 101405770 | 0 | ○ |
|  | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ |
| **High Pressure Hose, DN10** | | | | |
|  | HP HOSE DN10 1000 AGR-AGR | 1402916 | 0 | ○ |
|  | HP HOSE DN10 2052 AGR-AGR | 1402924 | 0 | ○ |
|  | HP HOSE DN10 3000 AGR-AGR | 1402932 | 0 | ○ |
|  | HP HOSE DN10 5000 AGR-AGR | 1402940 | 0 | ○ |
|  | HP HOSE DN10 10000 AGR-AGR | 6101766 | 0 | • |
|  | HP HOSE DN10 15000 AGR-AGR | 1402064 | 0 | ○ |
|  | HP HOSE DN10 20000 AGR-AGR | 1402072 | 0 | ○ |
|  | HP HOSE DN10 25000 AGR-AGR | 1402080 | 0 | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | HP HOSE DN10 30000 AGR-AGR | 1402098 | 0 | ○ |
|  | HP HOSE DN10 50000 AGR-AGR | 1402759 | 0 | ○ |
| **Tornado Nozzle with Indication Ring** | | | | |
|  | NOZZLE 0550 IND. RING NEONGREEN | 101119743 | 0 | |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 0 | • |
|  | NOZZLE 0700 IND. RING ORANGE | 101119748 | 0 | |
|  | NOZZLE 0750 INDICATION RING SKIN RED | 101119749 | 0 | |
|  | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ |
| **Ergo System Coupling and Adapter** | | | | |
|  | NIPPEL F. Q-COUPL. 3/8 INCH | 1600493 | 0 | ○ |
|  | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 0 | ○ |
|  | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ |
|  | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ |



All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| | Accessories | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
| **High Pressure Male Coupling** | | | | |
|  | ADAPTER KEW QUICK COUPLING MALE 3/8 | 66159 | 0 | ○ |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 0 | ○ |
|  | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ |
|  | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 0 | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 0 | ○ |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 0 | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 0 | ○ |
| **Hose and Connection** | | | | |
|  | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ |
|  | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ |
|  | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ |
|  | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| | Accessories | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ |
| **Non Blacking High Pressure Hose, DN10** | | | | |
|  | HP HOSE DN10 GREY 10000 AGR-AGR | 6101767 | 0 | ○ |
|  | HP HOSE DN10 GREY 15000 AGR-AGR | 1401983 | 0 | ○ |
|  | HP HOSE DN10 GREY 20000 AGR-AGR | 1401991 | 0 | ○ |
|  | HP HOSE DN10 GREY 25000 AGR-AGR | 1402007 | 0 | ○ |
|  | HP HOSE DN10 GREY 30000 AGR-AGR | 1402015 | 0 | ○ |
| **High Pressure Hose, DN12** | | | | |
|  | HP HOSE DN12 10000 AGR-AGR | 4810219 | 0 | ○ |
|  | HP HOSE DN12 15000 AGR-AGR | 4810213 | 0 | ○ |
|  | HP HOSE DN12 20000 AGR-AGR | 4810214 | 0 | ○ |
| **Hose Reel** | | | | |
|  | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 0 | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | ○ |
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 0 | ○ |
|  | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0 | ○ |
| **Spray Gun** | | | | |
|  | REP. KIT SWIVEL JOINT | 101119484 | 0 | ○ |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 0 | ○ |
| **Other** | | | | |
|  | EXHAUST PIPE 148X197 | 301001089 | 0 | ○ |
|  | SIDE BAR COMPL. | 106402110 | 0 | ○ |
|  | WATER SUCTION KIT 300 L/MIN 06 | 6402018 | 0 | ○ |
| **FlexoPower Lance** | | | | |
|  | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ |
|  | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 0 | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ |
| **Short Lance** | | | | |
|  | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 0 | ○ |
|  | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 0 | ○ |
| **Special Lance** | | | | |
|  | CURVED LANCE L1090 MM | 6402016 | 0 | ○ |
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 0 | ○ |
| **TurboHammer Nozzle** | | | | |
|  | NOZZLE TURBOHAMMER HEAD .0550 W11 | 48875 | 0 | |
| **Special Nozzle** | | | | |
|  | CONTAINER CLEANING NOZZLE | 15861 | 0 | ○ |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 0 | ○ |
|  | NOZZLE PROTECTION CAP PA | 18430 | 0 | ○ |
| **Filter Pressure Washer** | | | | |
|  | CARTRIDGE FILTER REPLACEM. 50 UM | 1104041 | 0 | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | FILTER FOR WATER BREAK TANK ACCESS | 106403194 | 0 | ○ |
| **Brush Washing** | | | | |
|  | BRUSH INSERT | 10356 | 0 | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 0 | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 0 | ○ |
|  | WASH BRUSH L2350 MM | 6400087 | 0 | ○ |
| **Brush Rotary** | | | | |
|  | BRISTLE. LONG | 6401431 | 0 | ○ |
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 0 | ○ |
|  | ROTARY BRUSH 065 L1700 MM | 6400016 | 0 | ○ |
| **Injector and Foam Sprayer** | | | | |
|  | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | EXTENSION HOSE 30 CM WITH ERGO COUPLINGS | 301001311 | 0 | ○ |
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 0 | ○ |
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 0 | ○ |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | ○ |
| **Drain and Pipe Cleaning** | | | | |
|  | DRAIN AND PIPE HPW SET DN8 15M SAE100R7 | 128501792 | 0 | ○ |
|  | DRAIN AND PIPE HPW SET DN8 30M SAE100R7 | 128501793 | 0 | ○ |
|  | DRAIN NOZZLE 06. 3/8 | 2800894 | 0 | ○ |
|  | HP HOSE DN10 20000 AGR-DRAIN CLEANER 06 | 6401268 | 0 | ○ |
|  | PIPE CLEANING HOSE 20M DN4 | 301002491 | 0 | ○ |
|  | PIPE CLEANING NOZZLE 1/8INC IG DN4 | 46921 | 0 | ○ |
|  | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918 | 0 | ○ |
| **Abrasive Blasting** | | | | |

All information provided in this document is subject to change without prior notice

## Tough and efficient - for heavy duty applications

| Accessories | | Ref. no. | Min. required | MH 6P-200/1300 FA 230/400/3/50 NO |
|---|---|---|---|---|
|  | LANCE WITH RUBBER FLAT NOZZLE 06 | 6401365 | 0 | ○ |
|  | NOZZLE FOR WSB - FLAT RUBBER 10 PC. | 6402317 | 0 | ○ |
|  | SAND PLUGER AND HOSE VSB | 6400375 | 0 | ○ |
|  | SAND SUPER BLAST 25KG | 8379 | 0 | ○ |
| **External Control Unit** | | | | |
|  | REMOTE CONTROL 2X DETERGENT ACCESSORY | 106403196 | 0 | ○ |
| **Wet Filter** | | | | |
|  | FILTER WATER INLET 5000MM2 50µ MH BLUE | 107143705 | 0 | ○ |

All information provided in this document is subject to change without prior notice