Product leaflet

Fume Eliminator 840

Portable source capture directly on welding torch



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Fume Eliminator 840

- Portable and easy to carry
- Useful in confined spaces
- Ideal to connect to an extraction nozzle directly at the source
- Manual start/stop function
- Low service costs

The Fume Eliminator 840 is designed to be carried to the working area. Connected to a an extraction nozzle or a welding torch, the FE unit extracts the fume directly at source. The FE 840 has a manual start/stop function and is suitable for extraction of fume from maintenance welding applications.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Fume Eliminator 840

Certifications	CE
Noise level (dB(A))	73
Filter efficiency (%)	99.7
Installation	Indoor
Material	Sheet metal
Working pressure (kPa)	22
Hose Diameter (mm)	44
[ProducHoseLength]	2.5
Filter Area (m²)	5.3
Frequency (Hz)	50
No of phases	1
Filter type	Cartridge
Number of filter elements	1
Filter material	Cellulose
Max airflow (m³/h)	150
Weight (kg)	16
Hose diameter (mm)	45
Power (kW)	1

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Power voltage (V)	Electric plug	Working pressure (kPa)	Filter cleaning method
	70840000	230	Euro (CEE 7/2 P+E)	22	
	70840100	120	UK		One way filter
	70840442	230	UK		One way filter

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item no
	Filter, Particle for FE	70324000
	Funnel nozzle TM-80	70851000
	Flange nozzle PM-300	70853000
	Funnel nozzle TM-200	70854000
	Metal filter compl. for FE 840/841	70284001
	Metal filter for FE 840/841	70282004
	Hose Superflex ø45mm, black, 5m. Hose end piece 70410002 not included.	70400026
	Hose Superflex ø45mm, black, 15m	70400028

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB