Product leaflet

# Air Purification Box CCD-1RC

CCD-1RC is design for free hanging applications to control light airborne dust/smoke in a contaminated air stream.




This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Air Purification Box CCD-1RC

Small air polishing unit primarily used for areas with light to moderate pollution. Ideals for small service and repair shops, areas with diesel smoke, grinding particles or other airborne pollutants. The Nederman CCD-1RC is design for free hanging applications to control light airborne dust/smoke in a contaminated air stream. Suitable applications include diesel smoke, grinding dust, weld fume, coolant mist/smoke and other airborne particulate. It is design for indoor installation only and must be protected from excessive moisture. The function of the machinery is that the airborne particulate is drawn by the fan into the air cleaner and through the filters located at the front of the unit. The cleaned air is discharged at the rear of the unit via a double deflection grill.

Small air polishing unit primarily used for areas with light to moderate pollution. Ideals for small service and repair shops, areas with diesel smoke, grinding particles or other airborne pollutants.

The Nederman CCD-1RC is design for free hanging applications to control light airborne dust/smoke in a contaminated air stream. Suitable applications include diesel smoke, grinding dust, weld fume, coolant mist/smoke and other airborne particulate.

It is design for indoor installation only and must be protected from excessive moisture.

The function of the machinery is that the airborne particulate is drawn by the fan into the air cleaner and through the filters located at the front of the unit. The cleaned air is discharged at the rear of the unit via a double deflection grill.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Air Purification Box CCD-1RC

| | |
|---|---|
| Certifications | CE |
| Filter efficiency (%) | 95 |
| Installation | Indoor |
| Filter cleaning method | One way filter |
| Application | Dust, Fumes |

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Models

| | Item no | Power voltage (V) | Frequency (Hz) | Weight (kg) | Power (kW) |
|---|---|---|---|---|---|
|  | 73000067[1] | 230 | 50 | 51 | 0,33 |
|  | 73000071[1] | 230 | 50 | 51 | 0,33 |

[1] This product is not included in our free of charge carriage offer. For a carriage cost please contact Nederman UK.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Accessories

| | Accessory | Item no |
|---|---|---|
| | System of mounting brackets | 73000093 |
| | Filter 595 x 595 x 98 G4 (LJ10004) | 73000094 |
| | Bag Filter 595 x 595 95% F8 | 73000095 |

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB




Function The function of the machinery is that the airborne particulate is drawn by the fan (pos. 1) into the air cleaner and through the filters (pos. 2) located at the front of the unit. The cleaned air is discharged at the rear of the unit via a double deflection grill (pos. 3).




Dimensions

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB