Heavy duty and efficient hot water cleaning for intense use

MH 7P is the optimal solution for heavy duty, industrial cleaning tasks. The 4 piston pump and high power boiler system offer unbeatable cleaning effect and long lifetime. The flow activated unloader system adds a new level of reliability and comfort.
The tough and robust MH 7P series combines low running costs, ease of use, best in class mobility and high cleaning efficiency. The most effective tool for heavy duty, industrial hot water cleaning in any sector. The MH 7P series features low running and maintenance costs, robustness, durability and high cleaning efficiency. Heating costs are reduced with the award-winning EcoPower boiler technology which delivers hot water quickly and efficiently, helping reduce fuel consumption and operating costs while maintaining strong cleaning performance. Sound level is reduced and lifetime extended with the famous C3 pump and 1450 rpm motor.



Picture shown may not represent model quoted

- EcoPower Boiler technology which delivers hot water quickly and efficiently, helping reduce fuel consumption and operating costs while maintaining strong cleaning performance:
- >92% efficiency giving reduced fuel costs
- Brass pump head
- 4 ceramic pistons
- Flow activated unloader system
- Innovative design with 4 big wheels
- Easy to transport, can even be pushed/pulled across uneven surfaces
- Oil tank and oil sight
- Low pump oil warning system
- Low fuel warning system
- Onboard diagnostics function
- Easy to use control panel

● Standard equipment

Included accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
High Pressure Female Coupling						
	HOSE NOZZLE 20R3/4	61369	0	●	●	●
High Pressure Hose, DN10						
	HP HOSE DN10 10000 AGR-AGR	6101766	0	●	●	
	HP HOSE DN10 20000 AGR-AGR	1402072	0			●
Tornado Nozzle with Indication Ring						

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Included accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	NOZZLE 0680 INDICATION RING GREY	101119747	0	•	•	•

• Standard equipment

Included accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
High Pressure Female Coupling						
	HOSE NOZZLE 20R3/4	61369	0	•	•	•
High Pressure Hose, DN10						
	HP HOSE DN10 10000 AGR-AGR	6101766	0		•	•
	HP HOSE DN10 20000 AGR-AGR	1402072	0	•		
Tornado Nozzle with Indication Ring						
	NOZZLE 0680 INDICATION RING GREY	101119747	0	•	•	•

• Standard equipment

Included accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
High Pressure Female Coupling				
	HOSE NOZZLE 20R3/4	61369	0	•
High Pressure Hose, DN10				
	HP HOSE DN10 10000 AGR-AGR	6101766	0	•

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Included accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	HP HOSE DN10 20000 AGR-AGR	1402072	0	
Tornado Nozzle with Indication Ring				
	NOZZLE 0680 INDICATION RING GREY	101119747	0	•

Model	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
Ref. no.	107146980	107146981	107146982
PRODUCT FEATURES			
EcoPower boiler-high efficiency	•	•	•
Hose reel			•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Automatic on/off and delayed action	•	•	•
Flame sensor	•	•	•

Model	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
Ref. no.	107146983	107146984	107146985
PRODUCT FEATURES			
EcoPower boiler-high efficiency	•	•	•
Hose reel	•		
Pump oil warning system	•	•	•
Service indicator	•	•	•
Automatic on/off and delayed action	•	•	•
Flame sensor	•	•	•

Model	MH 7P-180/1260 FA 415/3/50 AU
Ref. no.	107146994
PRODUCT FEATURES	
EcoPower boiler-high efficiency	•
Hose reel	
Pump oil warning system	•

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Model	MH 7P-180/1260 FA 415/3/50 AU
Ref. no.	107146994
PRODUCT FEATURES	
Service indicator	•
Automatic on/off and delayed action	•
Flame sensor	•

Technical specifications	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
Pump Pressure (bar/MPa)	180/18	180/18	180/18
Cleaning impact (kg/force)	6.3	6.3	6.3
Pump (RPM)	1450	1450	1450
Power consumption (kW)	7.6	7.7	7.6
Voltage/phase/frequency/current (V/~/Hz/A)	400/3/50/13.5	230-400/3/50/14	400/3/50/13.5
Water flow Qmax/Qiec (l/h)	1260/1170	1260/1170	1260/1170
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption at ΔT=45°C (kg/h)	5.3	5.3	5.3
Fuel tank (l)	30	30	30
Detergent tank (l)	A:10 + B:10	A:10 + B:10	A:10 + B:10
Nozzle size	.0680	.0680	.0680
Max. inlet temperature (°C)	40	40	40
Ceramic pistons	4	4	4
Length x width x height (mm)	1188x700x1045	1188x700x1045	1188x700x1045
Weight (kg)	195	199	204
Recommended avg. hours of use per day	7	7	7

Technical specifications	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
Pump Pressure (bar/MPa)	180/18	180/18	180/18
Cleaning impact (kg/force)	6.3	6.3	6.3
Pump (RPM)	1450	1450	1750
Power consumption (kW)	7.6	7.6	7.6
Voltage/phase/frequency/current (V/~/Hz/A)	230-400/3/50/13.5	200/3/50/27.5	200/3/60/27.5
Water flow Qmax/Qiec (l/h)	1260/1170	1260/1170	1260/1170
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption at ΔT=45°C (kg/h)	5.3	5.3	5.3
Fuel tank (l)	30	30	30



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Technical specifications	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
Detergent tank (l)	A:10 + B:10	A:10 + B:10	A:10 + B:10
Nozzle size	.0680	.0680	.0680
Max. inlet temperature (°C)	40	40	40
Ceramic pistons	4	4	4
Length x width x height (mm)	1188x700x1045	1188x700x1045	1188x700x1045
Weight (kg)	208	195	195
Recommended avg. hours of use per day	7	7	7

Technical specifications	MH 7P-180/1260 FA 415/3/50 AU
Pump Pressure (bar/MPa)	180/18
Cleaning impact (kg/force)	6.3
Pump (RPM)	1450
Power consumption (kW)	7.7
Voltage/phase/frequency/current (V/~/Hz/A)	230-400/3/50/14
Water flow Qmax/Qiec (l/h)	1260/1170
Water temperature (water/steam) (°C)	90/150
El cable (m)	5
Fuel consumption at ΔT=45°C (kg/h)	5.3
Fuel tank (l)	30
Detergent tank (l)	A:10 + B:10
Nozzle size	.0680
Max. inlet temperature (°C)	40
Ceramic pistons	4
Length x width x height (mm)	1188x700x1045
Weight (kg)	199
Recommended avg. hours of use per day	7

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

	Accessories	Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
High Pressure Female Coupling						
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	0	○	○	○
	HOSE NOZZLE 20R3/4	61369	0	●	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	0	○	○	○
High Pressure Hose, DN10						
	HP HOSE DN10 1000 AGR-AGR	1402916	0	○	○	○
	HP HOSE DN10 2052 AGR-AGR	1402924	0	○	○	○
	HP HOSE DN10 3000 AGR-AGR	1402932	0	○	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	0	○	○	○
	HP HOSE DN10 10000 AGR-AGR	6101766	0	●	●	○
	HP HOSE DN10 15000 AGR-AGR	1402064	0	○	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	0	○	○	●
	HP HOSE DN10 25000 AGR-AGR	1402080	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	HP HOSE DN10 30000 AGR-AGR	1402098	0	○	○	○
	HP HOSE DN10 50000 AGR-AGR	1402759	0	○	○	○
Tornado Nozzle with Indication Ring						
	NOZZLE 0680 INDICATION RING GREY	101119747	0	•	•	•
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○	○
Ergo System Coupling and Adapter						
	NIPPEL F. Q-COUPL. 3/8 INCH	1600493	0	○	○	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	0	○	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○	○
High Pressure Male Coupling						
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	0	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	0	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	0	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○	○	○
	NITO COUPLING HOSE END 1	1604669	0	○	○	○
Hose and Connection						
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	0	○	○	○
High Pressure Hose, DN8						
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL	101405770	0	○	○	○



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	0	○	○	○
Non Blacking High Pressure Hose, DN10						
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	0	○	○	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	0	○	○	○
	HP HOSE DN10 GREY 20000 AGR-AGR	1401991	0	○	○	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	0	○	○	○
	HP HOSE DN10 GREY 30000 AGR-AGR	1402015	0	○	○	○
High Pressure Hose, DN12						
	HP HOSE DN12 10000 AGR-AGR	4810219	0	○	○	○
	HP HOSE DN12 15000 AGR-AGR	4810213	0	○	○	○
	HP HOSE DN12 20000 AGR-AGR	4810214	0	○	○	○
Hose Reel						
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○	○	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	0	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○	○	
Spray Gun						
	REP. KIT SWIVEL JOINT	101119484	0	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	0	○	○	○
Other						
	EXHAUST PIPE 148X197	301001089	0	○	○	○
	SIDE BAR COMPL.	106402110	0	○	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	0	○	○	○
FlexoPower Lance						
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	0	○	○	○



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○	○
Short Lance						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○	○	○
Special Lance						
	CURVED LANCE L1090 MM	6402016	0	○	○	○
	UNDER CARRIAGE WASHER 40065	6400036	0	○	○	○
Standard Nozzle 50° 1/8" NPT						
	HP NOZZLE 50070 1/8	5007	0	○	○	○
Special Nozzle						
	CONTAINER CLEANING NOZZLE	15861	0	○	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	0	○	○	○
	NOZZLE PROTECTION CAP PA	18430	0	○	○	○
Filter Pressure Washer						
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	○	○	○



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	FILTER FOR WATER BREAK TANK ACCESS	106403194	0	○	○	○
Brush Washing						
	BRUSH INSERT	10356	0	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○	○	○
	WASH BRUSH L1550 MM	6400088	0	○	○	○
	WASH BRUSH L2350 MM	6400087	0	○	○	○
Brush Rotary						
	BRISTLE. LONG	6401431	0	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	0	○	○	○
	ROTARY BRUSH 065 L1700 MM	6400016	0	○	○	○
Injector and Foam Sprayer						
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	0	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	0	○	○	○
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0	○	○	○
Drain and Pipe Cleaning						
	DRAIN AND PIPE HPW SET DN8 15M SAE100R7	128501792	0	○	○	○
	DRAIN AND PIPE HPW SET DN8 30M SAE100R7	128501793	0	○	○	○
	DRAIN NOZZLE 06. 3/8	2800894	0	○	○	○
	HP HOSE DN10 20000 AGR-DRAIN CLEANER 06	6401268	0	○	○	○
	PIPE CLEANING HOSE 20M DN4	301002491	0	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	0	○	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○	○	○
Abrasive Blasting						

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 400/3/50 EU	MH 7P-180/1260 FA 230/400/3/50 NO	MH 7P-180/1260 FAX 400/3/50 EU
	BORONCARBIDE FLAT NOZZLE VSB	6400379	0	○	○	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	0	○	○	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	0	○	○	○
	SAND PLUGER AND HOSE VSB	6400375	0	○	○	○
	SAND SUPER BLAST 25KG	8379	0	○	○	○
External Control Unit						
	REMOTE CONTROL 2X DETERGENT ACCESSORY	106403196	0	○	○	○
Wet Filter						
	FILTER WATER INLET 5000MM2 50µ MH BLUE	107143705	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
High Pressure Female Coupling						
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	0	○	○	○



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
	HOSE NOZZLE 20R3/4	61369	0	●	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	0	○	○	○
High Pressure Hose, DN10						
	HP HOSE DN10 1000 AGR-AGR	1402916	0	○	○	○
	HP HOSE DN10 2052 AGR-AGR	1402924	0	○	○	○
	HP HOSE DN10 3000 AGR-AGR	1402932	0	○	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	0	○	○	○
	HP HOSE DN10 10000 AGR-AGR	6101766	0	○	●	●
	HP HOSE DN10 15000 AGR-AGR	1402064	0	○	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	0	●	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	0	○	○	○
	HP HOSE DN10 30000 AGR-AGR	1402098	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
	HP HOSE DN10 50000 AGR-AGR	1402759	0	○	○	○
Tornado Nozzle with Indication Ring						
	NOZZLE 0680 INDICATION RING GREY	101119747	0	•	•	•
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○	○
Ergo System Coupling and Adapter						
	NIPPEL F. Q-COUPL. 3/8 INCH	1600493	0	○	○	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	0	○	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○	○
High Pressure Male Coupling						
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	0	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

	Accessories	Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	0	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	0	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○	○	○
	NITO COUPLING HOSE END 1	1604669	0	○	○	○
Hose and Connection						
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	0	○	○	○
High Pressure Hose, DN8						
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL	101405770	0	○	○	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	0	○	○	○



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

	Accessories	Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
Non Blacking High Pressure Hose, DN10						
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	0	○	○	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	0	○	○	○
	HP HOSE DN10 GREY 20000 AGR-AGR	1401991	0	○	○	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	0	○	○	○
	HP HOSE DN10 GREY 30000 AGR-AGR	1402015	0	○	○	○
High Pressure Hose, DN12						
	HP HOSE DN12 10000 AGR-AGR	4810219	0	○	○	○
	HP HOSE DN12 15000 AGR-AGR	4810213	0	○	○	○
	HP HOSE DN12 20000 AGR-AGR	4810214	0	○	○	○
Hose Reel						
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	0	○	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
	HOSE TROLLEY UP TO 50 M 3/8	6400170	0	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0		○	○
Spray Gun						
	REP. KIT SWIVEL JOINT	101119484	0	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	0	○	○	○
Other						
	EXHAUST PIPE 148X197	301001089	0	○	○	○
	SIDE BAR COMPL.	106402110	0	○	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	0	○	○	○
FlexoPower Lance						
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	0	○	○	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○	○
Short Lance						



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○	○	○
Special Lance						
	CURVED LANCE L1090 MM	6402016	0	○	○	○
	UNDER CARRIAGE WASHER 40065	6400036	0	○	○	○
Standard Nozzle 50° 1/8” NPT						
	HP NOZZLE 50070 1/8	5007	0	○	○	○
Special Nozzle						
	CONTAINER CLEANING NOZZLE	15861	0	○	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	0	○	○	○
	NOZZLE PROTECTION CAP PA	18430	0	○	○	○
Filter Pressure Washer						
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	○	○	○
	FILTER FOR WATER BREAK TANK ACCESS	106403194	0	○	○	○
Brush Washing						



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
	BRUSH INSERT	10356	0	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○	○	○
	WASH BRUSH L1550 MM	6400088	0	○	○	○
	WASH BRUSH L2350 MM	6400087	0	○	○	○
Brush Rotary						
	BRISTLE. LONG	6401431	0	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	0	○	○	○
	ROTARY BRUSH 065 L1700 MM	6400016	0	○	○	○
Injector and Foam Sprayer						
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	0	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
	FOAM LANCE COMPLETE L1200 MM	6404369	0	○	○	○
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0	○	○	○
Drain and Pipe Cleaning						
	DRAIN AND PIPE HPW SET DN8 15M SAE100R7	128501792	0	○	○	○
	DRAIN AND PIPE HPW SET DN8 30M SAE100R7	128501793	0	○	○	○
	DRAIN NOZZLE 06. 3/8	2800894	0	○	○	○
	HP HOSE DN10 20000 AGR-DRAIN CLEANER 06	6401268	0	○	○	○
	PIPE CLEANING HOSE 20M DN4	301002491	0	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	0	○	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○	○	○
Abrasive Blasting						
	BORONCARBIDE FLAT NOZZLE VSB	6400379	0	○	○	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	0	○	○	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FAX 230/400/3/50 NO	MH 7P-180/1260 FA 200/3/50 JP	MH 7P-180/1260 FA 200/3/60 JP
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	0	○	○	○
	SAND PLUGER AND HOSE VSB	6400375	0	○	○	○
	SAND SUPER BLAST 25KG	8379	0	○	○	○
External Control Unit						
	REMOTE CONTROL 2X DETERGENT ACCESSORY	106403196	0	○	○	○
Wet Filter						
	FILTER WATER INLET 5000MM2 50µ MH BLUE	107143705	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
High Pressure Female Coupling				
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	0	○
	HOSE NOZZLE 20R3/4	61369	0	●
	QUICK COUPLING 3/4 W/GASKET	1602945	0	○
High Pressure Hose, DN10				

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	HP HOSE DN10 1000 AGR-AGR	1402916	0	○
	HP HOSE DN10 2052 AGR-AGR	1402924	0	○
	HP HOSE DN10 3000 AGR-AGR	1402932	0	○
	HP HOSE DN10 5000 AGR-AGR	1402940	0	○
	HP HOSE DN10 10000 AGR-AGR	6101766	0	●
	HP HOSE DN10 15000 AGR-AGR	1402064	0	○
	HP HOSE DN10 20000 AGR-AGR	1402072	0	○
	HP HOSE DN10 25000 AGR-AGR	1402080	0	○
	HP HOSE DN10 30000 AGR-AGR	1402098	0	○
	HP HOSE DN10 50000 AGR-AGR	1402759	0	○
Tornado Nozzle with Indication Ring				
	NOZZLE 0680 INDICATION RING GREY	101119747	0	●



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

	Accessories	Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○
Ergo System Coupling and Adapter				
	NIPPEL F. Q-COUPL. 3/8 INCH	1600493	0	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	0	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○
High Pressure Male Coupling				
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	0	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	0	○
	GEKA COUPLING HOSE END 3/4	1311	0	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	NITO COUPLING HOSE END 1	1604669	0	○
Hose and Connection				
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○
	WATER INLET HOSE 3/4 P/	6465	0	○
High Pressure Hose, DN8				
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL	101405770	0	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	0	○
Non Blacking High Pressure Hose, DN10				
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	0	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	0	○
	HP HOSE DN10 GREY 20000 AGR-AGR	1401991	0	○



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

	Accessories	Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	0	○
	HP HOSE DN10 GREY 30000 AGR-AGR	1402015	0	○
High Pressure Hose, DN12				
	HP HOSE DN12 10000 AGR-AGR	4810219	0	○
	HP HOSE DN12 15000 AGR-AGR	4810213	0	○
	HP HOSE DN12 20000 AGR-AGR	4810214	0	○
Hose Reel				
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	0	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	0	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○
Spray Gun				
	REP. KIT SWIVEL JOINT	101119484	0	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	0	○

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

	Accessories	Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
Other				
	EXHAUST PIPE 148X197	301001089	0	○
	SIDE BAR COMPL.	106402110	0	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	0	○
FlexoPower Lance				
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	0	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○
Short Lance				
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○
Special Lance				
	CURVED LANCE L1090 MM	6402016	0	○
	UNDER CARRIAGE WASHER 40065	6400036	0	○
Standard Nozzle 50° 1/8" NPT				

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

	Accessories	Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	HP NOZZLE 50070 1/8	5007	0	○
Special Nozzle				
	CONTAINER CLEANING NOZZLE	15861	0	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	0	○
	NOZZLE PROTECTION CAP PA	18430	0	○
Filter Pressure Washer				
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	○
	FILTER FOR WATER BREAK TANK ACCESS	106403194	0	○
Brush Washing				
	BRUSH INSERT	10356	0	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○
	WASH BRUSH L1550 MM	6400088	0	○
	WASH BRUSH L2350 MM	6400087	0	○
Brush Rotary				

All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

	Accessories	Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	BRISTLE. LONG	6401431	0	○
	NYLON. BRISTLE FOR ROTARY	6401432	0	○
	ROTARY BRUSH 065 L1700 MM	6400016	0	○
Injector and Foam Sprayer				
	DETERGENT BOTTLE 2.5 L	107141635	0	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	0	○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○
	FOAM LANCE COMPLETE L1200 MM	6404369	0	○
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0	○
Drain and Pipe Cleaning				
	DRAIN AND PIPE HPW SET DN8 15M SAE100R7	128501792	0	○
	DRAIN AND PIPE HPW SET DN8 30M SAE100R7	128501793	0	○



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	DRAIN NOZZLE 06. 3/8	2800894	0	○
	HP HOSE DN10 20000 AGR-DRAIN CLEANER 06	6401268	0	○
	PIPE CLEANING HOSE 20M DN4	301002491	0	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	0	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○
Abrasive Blasting				
	BORONCARBIDE FLAT NOZZLE VSB	6400379	0	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	0	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	0	○
	SAND PLUGER AND HOSE VSB	6400375	0	○
	SAND SUPER BLAST 25KG	8379	0	○
External Control Unit				
	REMOTE CONTROL 2X DETERGENT ACCESSORY	106403196	0	○
Wet Filter				



All information provided in this document is subject to change without prior notice

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	MH 7P-180/1260 FA 415/3/50 AU
	FILTER WATER INLET 5000MM2 50µ MH BLUE	107143705	0	○

All information provided in this document is subject to change without prior notice