## Simple and powerful wet & dry vacuum cleaner

MAXXI II 75 offers easy and efficient wet & dry use without filter changing. The unique dual filter makes it possible to clean both wet and dry applications without the need of changing filters. Thanks to MulitFit all MAXXI II tools are compatible with the ATTIX accessories.
The MAXXI II wet and dry vacuum cleaner presents a number of innovative design features making everyday operation and maintenance easy, ergonomic and more productive. By designing a special motor head, it has become easier and safer to operate the machine such as emptying the container. The container can be emptied either through tip and pour or by using the drain hose, without removing the motor head. When lifting the container it is advised to lift the container with one hand and hold the machine firmly with the other hand on the steel push handle. MAXXI II 75 is equipped with a stand alone trolley and is ideally suited for demanding jobs, especially in rough and wet environments such as building sites, light industry and for cleaning up after plumbers, electricians and other contractors.



Picture shown may not represent model quoted

- Dual filter system to handle different substances without human intervention
- Easy emptying (with motor head fitted)
- Stainless steel tube
- Intuitive single handed locking mechanisms
- Wet mesh sack filter protecting the motor from foam ingress
- Flexible and handy mounting of tools and accessories
- Fixed steel push handle
- Standard tipping mechanism
- Transparent drain hose for indication of water level in the container
- The containers can be easily lifted off the trolley for cleaning or maintenance
- When tipping, the container pivots on the steel push handle

● Standard equipment

| Included accessories | | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
| **Hose Vacuum Cleaner** | | | | | |
|  | HOSE D40 2.5M CPL | 107407336 | 1 | ● | ● |
| **Vac Nozzle Wet** | | | | | |
|  | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | | |
|  | HARDFLOOR NOZZLE 400MM X Ø40MM - KIT | 107416577 | 1 | ● | ● |
| **Hard Floor Nozzle** | | | | | |

All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| Included accessories | | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • |
| **Crevice Nozzle** | | | | | |
|  | CREVICE NOZZLE D40 | 107408850 | 1 | • | • |
| **Filter** | | | | | |
|  | CARTRIDGE FILTER | 107407300 | 1 | • | • |
| **Special Filter** | | | | | |
|  | WET FILTER | 107407302 | 1 | • | • |
| **Tube** | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • |

| Model | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|
| Ref. no. | 107405169 | 107405178 |
| PRODUCT FEATURES | | |
| Tube holder | • | • |
| Dual filter system | • | • |
| Cable storage | • | • |
| Accessory holders | • | • |
| Drain hose | • | • |
| Dual motor | • | • |

| Technical specifications | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|
| Cable length (m)/ plug type | 10/EU | 10/UK |
| Voltage/frequency (V/Hz) | 220-240/50-60 | 220-240/50-60 |
| IP protection class | IP24 | IP24 |
| Power Pmax (W) | 2500 | 2500 |
| Power Piec (W) | 2400 | 2400 |
| Suction power end of tube (W) | 390 | 390 |
| Airflow rate (l/min.) | 2880 | 2880 |



All information provided in this document is subject to change without prior notice

# Simple and powerful wet & dry vacuum cleaner

| Technical specifications | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|
| Vacuum (mbar/kPa) | 210/21 | 210/21 |
| Sound pressure level (dB(A) BS 5415) | 66 | 66 |
| Sound power level (dB(A) IEC 704) | 84 | 84 |
| Tank capacity (l) | 75 | 75 |
| Dust bag capacity (l) | 44 | 44 |
| Wet filter area (cm²) | 1840 | 1840 |
| Cartridge filter area (cm²) | 4410 | 4410 |
| Hose length (m) | 2.5 | 2.5 |
| Hose diameter Ø (mm) | 40 | 40 |
| Length x width x height (mm) | 840x620x1000 | 840x620x1000 |
| Weight (kg) | 28 | 28 |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
| **Squeegee, Blade, Skirt and Splash Guard** | | | | | |
|  | SQUEEGEE COMPLETE ANTHRACIT | 107407051 | 1 | ○ | ○ |
| **Crevice Nozzle** | | | | | |
|  | CREVICE NOZZLE D40 | 107408850 | 1 | ● | ● |
| **Tube** | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | ● | ● |
| **Filter Bag** | | | | | |
|  | FLEECE FILTER BAG PU 5 PCS | 302002892 | 1 | ○ | ○ |
| **Vac Nozzle Wet** | | | | | |
|  | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | ○ | ○ |
|  | HARDFLOOR NOZZLE 400MM X Ø40MM - KIT | 107416577 | 1 | ● | ● |
| **Hose Vacuum Cleaner** | | | | | |

All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| | Accessories | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | HOSE D40 2.5M CPL | 107407336 | 1 | • | • |
| **Filter** | | | | | |
|  | CARTRIDGE FILTER | 107407300 | 1 | • | • |
|  | HEPA CARTRIDGE FILTER | 107409007 | 1 | ○ | ○ |
| **Special Filter** | | | | | |
|  | WET FILTER | 107407302 | 1 | • | • |
| **Hard Floor Nozzle** | | | | | |
|  | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • |
| **System 50 Hose Vacuum Cleaner** | | | | | |
| | AS HOSED50X4000MM | 15815 | 1 | ○ | ○ |
|  | CHIPS HOSE Ø50X4000MM | 15182 | 1 | ○ | ○ |
|  | HOSE CONNECTION Ø50 PVC | 6330 | 1 | ○ | ○ |
|  | HOSE HEAT RESIST. Ø 50X4000MM | 11061 | 1 | ○ | ○ |
|  | HOSE OIL RESISTANT D50X40 | 6468 | 1 | ○ | ○ |
|  | HOSE UNIVERSAL Ø50 EVA PER METER | 11984 | 1 | ○ | ○ |
| | METAL HOSE Ø50X4000MM | 15013 | 1 | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| | Accessories | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | SLEEVE CPL - VACUUM SIDE - D50/D50 | 15101 | 1 | ○ | ○ |
|  | UNI. HOSE Ø50X4000MM EVA/ABS | 15358 | 1 | ○ | ○ |
|  | UNI. HOSE Ø50X5000MM SB VAC | 64084 | 1 | ○ | ○ |
| | UNIV HOSE Ø 50X1750MM | 19930 | 1 | ○ | ○ |
| **Vacuum Accessory Set** | | | | | |
|  | BOILER SET Ø 36MM 4-PCS | 60430 | 1 | ○ | ○ |
|  | CAR SET Ø36MM 3 PCS | 63211 | 1 | ○ | ○ |
|  | CHIP SET D50MM | 61681 | 1 | ○ | ○ |
|  | HOME & OFFICE SET Ø36MM 5-PCS | 63212 | 1 | ○ | ○ |
|  | HOSE SET Ø36MM 3 PCS | 63210 | 1 | ○ | ○ |
|  | INDUSTR. FLOOR SET Ø36MM 4-PCS | 63214 | 1 | ○ | ○ |
|  | INDUSTR. FLOOR SET Ø50MM 6-PCS | 63216 | 1 | ○ | ○ |
|  | INDUSTRIAL SET 38 | 302002881 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| Accessories | | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | PIPE CLEANING SET Ø 38MM 4-PCS | 63215 | 1 | ○ | ○ |
|  | STANDARD VAC SET Ø50MM 3-PCS | 6085 | 1 | ○ | ○ |
|  | TRADE AND IND. SET Ø36MM 5-PCS | 63213 | 1 | ○ | ○ |
|  | WATER VACUUM SET Ø36MM 3- PCS | 7727 | 1 | ○ | ○ |
|  | WORKSHOP HOSE KIT SYSTEM 36 5-PCS | 107413545 | 1 | ○ | ○ |
|  | WORKSHOP KIT BASIC D36MM 4PCS | 107401367 | 1 | ○ | ○ |
|  | WORKSHOP SET Ø36MM 6-PCS | 302000927 | 1 | ○ | ○ |
| **System 38 Tube** | | | | | |
|  | CURVED HAND TUBE D38 MM SS | 302002889 | 1 | ○ | ○ |
|  | EXTEN TUBE THERMAL INSULATE Ø38X2500MM | 15340 | 1 | ○ | ○ |
|  | EXTENSION TUBES R38 2X500 KIT | 107402474 | 1 | ○ | ○ |
| **System 38 Vac Floor Nozzle** | | | | | |
|  | FLOOR NOZZLE D38X400 WET AND DRY | 302002798 | 1 | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| | Accessories | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | FLOOR NOZZLE Ø38X450 WET AND DRY ADJ | 302002799 | 1 | ○ | ○ |
| **System 38 Crevice/Cone Nozzle** | | | | | |
|  | CREVICE NOZZLE Ø38X300 MM PP | 302002890 | 1 | ○ | ○ |
| | PIPE CLEAN NOZZLE Ø38 R120-200MM | 8054 | 1 | ○ | ○ |
| | TOOL ADADPTER 38/50 MM | 302002884 | 1 | ○ | ○ |
| **System 36 Hose Vacuum Cleaner** | | | | | |
|  | HOSE AS D36X4000MM | 15311 | 1 | ○ | ○ |
|  | HOSE Ø36X4000 AS EVA | 63209 | 1 | ○ | ○ |
|  | HOSE Ø36X4000 MM AS RED | 107413544 | 1 | ○ | ○ |
|  | HOSE Ø36X5000MM AS W COUPLING ACCESSORY | 302001682 | 1 | ○ | ○ |
|  | SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT | 302001677 | 1 | ○ | ○ |
|  | UNI. HOSE Ø36X3000MM EVA | 15805 | 1 | ○ | ○ |
|  | UNI. HOSE Ø36X3000MM W COUPLING EVA | 46948 | 1 | ○ | ○ |
|  | UNI. HOSE Ø36X4000MM EVA | 25537 | 1 | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| | Accessories | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | UNIV HOSE WITH HAND TUBE D32X3500 PE | 107409976 | 1 | ○ | ○ |
| **System 38 Hose Vacuum Cleaner** | | | | | |
|  | HOSE D38X5000 AS | 107401368 | 1 | ○ | ○ |
|  | HOSE HEAT RES. 36X4000 FOR | 6070 | 1 | ○ | ○ |
| | UNI. SUCTION HOSE Ø38X4000MM EVA | 302002796 | 1 | ○ | ○ |
|  | UNIV HOSE Ø36-38X4000MM EVA | 15365 | 1 | ○ | ○ |
| **System 36 Tube** | | | | | |
|  | ADAPTER TUBE STRAIGHT AS Ø36MM | 29457 | 1 | ○ | ○ |
|  | EXTENSION TUBE | 107416995 | 1 | ○ | ○ |
|  | EXTENSION TUBE D36 2X500MM ALU | 107400032 | 1 | ○ | ○ |
|  | EXTENSION TUBE D36 2X505MM ST/CR | 302000529 | 1 | ○ | ○ |
|  | EXTENSION TUBE D36 2X515MM PLASTIC | 40696 | 1 | ○ | ○ |
|  | EXTENSION TUBE Ø36 2X505MM SS | 107408074 | 1 | ○ | ○ |
|  | TELESCOPIC TUBE D36 575-930MM CR-ST | 107402654 | 1 | ○ | ○ |



All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| | Accessories | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | TELESCOPIC TUBE Ø36X550-970 SS | 47109 | 1 | ○ | ○ |
|  | TOOL ADAPTER D27 QUICKSYSTEM | 302000535 | 1 | ○ | ○ |
|  | TOOL ADAPTER D27/35/38 | 60916 | 1 | ○ | ○ |
|  | TOOL ADAPTER WITH SUCTION REGULATION D32 | 107409977 | 1 | ○ | ○ |
| **System 36 Vac Floor Nozzle** | | | | | |
|  | COMBI NOZZLE Ø36X260MM | 302002365 | 1 | ○ | ○ |
|  | FLOOR NOZZLE COMBI Ø36X270MM | 107417892 | 0 | ○ | ○ |
|  | FLOOR NOZZLE D36X300MM W/D KIT | 107402706 | 1 | ○ | ○ |
|  | FLOOR NOZZLE D36X400MM W/D | 302003666 | 1 | ○ | ○ |
|  | FLOOR NOZZLE Ø36X300MM | 302002331 | 1 | ○ | ○ |
|  | FLOOR NOZZLE Ø36X330 ALU | 5147 | 1 | ○ | ○ |
|  | NOZZLE ALU. 450XØ36MM DRY | 15348 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| | Accessories | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | NOZZLE ALU. 450XØ36MM WET | 15349 | 1 | ○ | ○ |
|  | WATER SUCTION NOZZLE Ø36X300 | 7270 | 1 | ○ | ○ |
| **System 27 Brush/Universal Nozzle** | | | | | |
|  | CURRY COMB Ø27MM | 6092 | 1 | ○ | ○ |
| **System 36 Brush/Universal Nozzle** | | | | | |
|  | BRUSH NOZZLE Ø36X70 | 5146 | 1 | ○ | ○ |
|  | BRUSH NOZZLE Ø36X230 | 6086 | 1 | ○ | ○ |
|  | OVAL BRUSH NOZZLE Ø36MM | 40455 | 1 | ○ | ○ |
|  | RADIATOR BRUSH NOZZLE Ø36X420 | 5144 | 1 | ○ | ○ |
|  | SUCTION BRUSH D36 BLACK | 302002509 | 1 | ○ | ○ |
|  | UNIV NOZZLE Ø36X150 ALU | 5145 | 1 | ○ | ○ |
|  | UPHOLSTERY NOZZLE D36X115 | 14295 | 1 | ○ | ○ |
| **System 36 Crevice/Cone Nozzle** | | | | | |
|  | CREVICE NOZZLE D36X200 | 29541 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| | Accessories | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | CREVICE NOZZLE Ø36X300 PP | 6084 | 1 | ○ | ○ |
|  | CREVICE NOZZLE Ø 36X15X920 ST/CR | 17836 | 1 | ○ | ○ |
|  | DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER | 5067 | 1 | ○ | ○ |
|  | FLAT NOZZLE Ø36MM RUBBER | 40456 | 1 | ○ | ○ |
| **System 27 Hose Vacuum Cleaner** | | | | | |
|  | TOOL ADAPTER D27/36-24 AS | 107404520 | 1 | ○ | ○ |
|  | UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA | 14289 | 1 | ○ | ○ |
| **System 50 Tube** | | | | | |
|  | ADAPTER Ø 58-36 mmx124 mm | 40452 | 1 | ○ | ○ |
|  | CURVED ALU EXT.TUBE D50X1000 | 15335 | 1 | ○ | ○ |
|  | CURVED HAND TUBE Ø50-36MM | 15341 | 1 | ○ | ○ |
| | SUCTION TUBE 2PCS Ø50 525MM PVC | 5152 | 1 | ○ | ○ |
| **System 50 Vac Floor Nozzle** | | | | | |
|  | FLOOR NOZZLE ALU. 500XØ50MM DRY | 15343 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Simple and powerful wet & dry vacuum cleaner

| Accessories | | Ref. no. | Min. required | MAXXI II 75-2 WD 220-240V/50-60 EU | MAXXI II 75-2 WD 220-240V/50-60 UK |
|---|---|---|---|---|---|
|  | NOZZLE ALU. 500XØ50MM WET | 15344 | 1 | ○ | ○ |
| **System 50 Brush/Universal Nozzle** | | | | | |
|  | COARSE DIRT NOZZLE Ø50X175 PP | 5153 | 1 | ○ | ○ |
|  | COARSE DIRT NOZZLE Ø50X200MM ALU | 41100 | 1 | ○ | ○ |
|  | ROUND BRUSH NOZZLE INNER DIAØ50MM | 40458 | 1 | ○ | ○ |
| **System 50 Crevice/Cone Nozzle** | | | | | |
|  | CREVICE NOZZLE Ø50 X370 | 7102 | 1 | ○ | ○ |
|  | DIAGONAL TUBE NOZZLE Ø50 RUBBER | 7868 | 1 | ○ | ○ |
| | FLAT NOZZLE RUBBER Ø50MM | 31244 | 1 | ○ | ○ |
| | ROUND NOZZLE Ø50MM RUBBER | 19936 | 1 | ○ | ○ |
| **System 32 Hose Vacuum Cleaner** | | | | | |
|  | AS HOSED32X4000MM WITH TOOL | 30657 | 1 | ○ | ○ |
|  | HOSE Ø32X4000MM AS RED | 107413543 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice