Efficient outdoor cleaning of your vehicle fleet

The SH TRUCK is a simple robust and corrosion proof stationary unit for permanent outdoor placement. Enabling constant cleaning of trucks, vans, commercial and constrution vehicles, the SH TRUCK is frost protected for use even in winter.
Placed in a parking area or forecourt, the SH TRUCK contains allsettings and adjustmentsinside the lockable cabinet. The unit is then easily opertional for multiple users with 4 push button function to select on-off, hot water, detergent without needing to adjust each time.
The SH TRUCK is equipped with the high efficiency EcoPower boiler offering reduced fuel consumption and costs. The unit is also equipped with cabinet insulation and electrical powered heater fan for frost protection and all year round cleaning.

- Stainless steel robust design against corrosion
- EcoPower boiler for reduced fuel consumption costs
- SilentPower, low noise level with 1450 rpm motor pump units
- Simple control panel with only 4 buttons
- Ergonomic accessories for added user experience
- Internal frost protection down to minus 20°C
- Simple control panel
- Compact design



Picture shown may not represent model quoted

● Standard equipment

Included accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
High Pressure Female Coupling					
	HOSE NOZZLE 20R3/4	61369	1	•	•
High Pressure Hose, DN10					
	HP HOSE DN10 10000 AGR-AGR	6101766	1	•	•
Tornado Nozzle with Indication Ring					
	NOZZLE 0550 IND. RING NEONGREEN	101119743	1		•
	NOZZLE 0680 INDICATION RING GREY	101119747	1	•	
	NOZZLE 0700 IND. RING ORANGE	101119748	1		

All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

Model	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
Ref. no.	107370810	107370830
PRODUCT FEATURES		
Full ceramic pistons	•	•
Stainless steel frame	•	•
Automatic standby	•	•
EcoPower boiler-high efficiency	•	•
SilentPower - 1450 rpm motor	•	•
QuickService - innovative concept	•	•
C3 4-ceramic piston pump	•	
Ergo accessory system	•	•
Wdk dual detergent injector	•	•
Compact design	•	•
Internal heater and insulation for frost protection	•	•
Flame sensor	•	•
Water brake tank	•	•


Technical specifications	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
Pump Pressure (bar/MPa)	175/17.5	180/18
Cleaning impact (kg/force)	6.3	4.9
Pump (RPM)	1450	1450
Power consumption (kW)	8.2	7.2
Voltage/phase/frequency/current (V/~/Hz/A)	400/3/50/17.5	400/3/50/18
Water flow Qmax/Qiec (l/h)	1260/1170	970/930
Water temperature (water/steam) (°C)	90/150	90/150
Fuel consumption, motor (Diesel) (kg/h)	5.3	4.3
Fuel tank (l)	33	33
Detergent tank (l)	2 x 25	2 x 25
Nozzle size	.0680	.0550
Max. inlet temperature (°C)	30	30
Ceramic pistons	4	3
Length x width x height (mm)	1025x715x1670	1025x715x1670
Weight (kg)	262	227
Sound power level, re Directive 2000/14/EU (LwA)	92	90
Recommended avg. hours of use per day	7	5



All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

	Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
Standard Nozzle 50° 1/8" NPT					
	HP NOZZLE 50070 1/8	5007	1		
High Pressure Male Coupling					
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○
	GEKA COUPLING HOSE END 3/4	1311	1	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○
Standard Nozzle 15° 1/8" NPT					
	HP NOZZLE 15070 1/8	1507	1		
High Pressure Female Coupling					
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○



All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

	Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○
	HOSE NOZZLE 20R3/4	61369	1	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○
Standard Nozzle 25° 1/8" NPT					
	HP NOZZLE 25055 1/8 INCH NPT	7814	1		○
	HP NOZZLE 25070 1/8 INCH NPT	2507	1		
Standard Nozzle 0° 1/8" NPT					
	HP-NOZZLE 0070 1/8	7820	1		
Abrasive Blasting					
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○
	SAND PLUGER AND HOSE VSB	6400375	1	○	○
	SAND SUPER BLAST 25KG	8379	1	○	○
Brush Washing					
	BRUSH INSERT	10356	1	○	○

All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

	Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○
Special Nozzle					
	CONTAINER CLEANING NOZZLE	15861	1	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○
	NOZZLE PROTECTION CAP PA	18430	1	○	○
Drain and Pipe Cleaning					
	DRAIN NOZZLE 06. 3/8	2800894	1	○	○
	HP HOSE DN10 20000 AGR-DRAIN CLEANER 06	6401268	1	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○	○
TurboHammer Nozzle					
	NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1		○

All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

	Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
	NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1		○
	TURBOHAMMER NOZZLE W11 070	48981	1		
Detergent					
	ALTO ACTIVE WAX 10 L	81177	1	○	○
	ALTO STONE-EX 10 L	81191	1	○	○
Filter Pressure Washer					
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	1	○	○
Non Blacking High Pressure Hose, DN10					
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	1	○	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	1	○	○
	HP HOSE DN10 GREY 20000 AGR-AGR	1401991	1	○	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	1	○	○
	HP HOSE DN10 GREY 30000 AGR-AGR	1402015	1	○	○
High Pressure Hose, DN10					



All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
	HP HOSE DN10 1000 AGR-AGR	1402916	1	○	○
	HP HOSE DN10 2052 AGR-AGR	1402924	1	○	○
	HP HOSE DN10 3000 AGR-AGR	1402932	1	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	1	○	○
	HP HOSE DN10 10000 AGR-AGR	6101766	1	•	•
	HP HOSE DN10 15000 AGR-AGR	1402064	1	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	1	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	1	○	○
	HP HOSE DN10 30000 AGR-AGR	1402098	1	○	○
	HP HOSE DN10 50000 AGR-AGR	1402759	1	○	○
High Pressure Hose, DN8					
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○
Ergo System Coupling and Adapter					

All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
	NIPPEL F. Q-COUPL. 3/8 INCH	1600493	1	○	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	1	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○
Brush Rotary					
	BRISTLE. LONG	6401431	1	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○
	ROTARY BRUSH 055 1700MM	6400019	1		○
	ROTARY BRUSH 055 L800 MM	6400018	1		○
	ROTARY BRUSH 065 L1700 MM	6400016	1	○	○
Special Lance					
	CURVED LANCE L1090 MM	6402016	1	○	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○	○
Hose Reel					



All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

	Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○
Other					
	SIDE BAR COMPL.	106402110	1	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	○	○
Injector and Foam Sprayer					
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○
Spray Gun					
	REP. KIT SWIVEL JOINT	101119484	1		○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○
Tornado Nozzle with Indication Ring					
	NOZZLE 0550 IND. RING NEONGREEN	101119743	1		•

All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

	Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
	NOZZLE 0680 INDICATION RING GREY	101119747	1	•	
	NOZZLE 0700 IND. RING ORANGE	101119748	1		
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○
Short Lance					
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○
FlexoPower Lance					
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○
Stationary Equipment					
	EXHAUST DIVERTER AUTO/TRUCK ACCES.	107318048	1	○	○
	OPTION CLOSED CIRCUIT FROST PROTECTION K	107370971	1	○	○
	OPTION NO SCALE	107370974	1	○	○



All information provided in this document is subject to change without prior notice

Efficient outdoor cleaning of your vehicle fleet

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU
Surface Cleaning Rotary					
	HYDROSCRUB P300 P+H	106403187	0		
Hose and Connection					
	WATER INLET HOSE 3/4 P/	6465	0	○	○

All information provided in this document is subject to change without prior notice