Agile cleaning in tight spaces

From ship corridors to cargo containers, the MC 9P very high pressure washer is uniquely designed for cleaning in narrow spaces and construction sites with great efficiency.
The MC 9P design makes it perfect for maneuvering around ship interiors, as well as across uneven surfaces and moving platforms. The MC 9P also features upgraded crane lift support and balancing, for safe and easy transport on and off ships.
Performance and features include:



Picture shown may not represent model quoted

- Powerful high-pressure water application, ranging from 350 to 500 bars for cleanup of tough jobs
- Two-sided interface setup, for fast and easy overview of machine operation
- A protected water inlet, placed in a high position for easy hose mounting and dismounting
- Anti-corrosive steel frame design for reduced wear and tear in harsh marine conditions
- Large four-wheel setup for easy rollover across obstacles and moorings
- Color-coded touch points for improved safety and intuitive operation
- Tilting and turning capability for more mobility on smooth and rough surfaces
- Dedicated onboard storage for easy access to accessories and equipment
- A removable hose storage mechanism that requires no tools to service
- A robust locking wheel brake for optimum user safety, especially on moving surfaces
- A viewable glass oil reservoir, so users can instantly check vital fluids
- CE certified according to EN standard: 1829-1

● Standard equipment

Included accessories		Ref. no.	Min. required	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
High Pressure Hose, DN12						
	HOSE 1/2C WP 500 BAR 15M BSPF	700550097	0	●	●	●
Spray Gun						
	VHP SPRAYGUN 350BAR W/QUICK CONNECT ACC	106404651	0	●	●	
	VHP SPRAYGUN 500BAR 1/2BSPP-M"-1/2 F ACC	106404653	0			●
4-in-1 Lance						
	VHP LANCE 350BAR W/QUICK CONNECT ACC	106404652	0	●	●	

All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

Included accessories		Ref. no.	Min. required	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
	VHP LANCE 500BAR W3/8" BSPF CONNECT ACC	106404654	0			•
Standard Nozzle 0° 1/8" NPT						
	NOZZLE 0003 1/4 BSPT S.S.	700550051	0			
Standard Nozzle 15° 1/8" NPT						
	NOZZLE 1503 1/4C BSPT S.S.	700550389	0			•

• Standard equipment

Included accessories		Ref. no.	Min. required	MC 9P-500/960 440/3/60
High Pressure Hose, DN12				
	HOSE 1/2C WP 500 BAR 15M BSPF	700550097	0	•
Spray Gun				
	VHP SPRAYGUN 350BAR W/QUICK CONNECT ACC	106404651	0	
	VHP SPRAYGUN 500BAR 1/2BSPP-M"-1/2 F ACC	106404653	0	•
4-in-1 Lance				
	VHP LANCE 350BAR W/QUICK CONNECT ACC	106404652	0	
	VHP LANCE 500BAR W3/8" BSPF CONNECT ACC	106404654	0	•
Standard Nozzle 0° 1/8" NPT				
	NOZZLE 0003 1/4 BSPT S.S.	700550051	0	•

All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

Included accessories		Ref. no.	Min. required	MC 9P-500/960 440/3/60
Standard Nozzle 15° 1/8" NPT				
	NOZZLE 1503 1/4C BSPT S.S.	700550389	0	

Model	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
Ref. no.	107147021	107147022	107147024
PRODUCT FEATURES			
Pump oil warning system	•	•	•
Big wheels and convenient grip	•	•	•
Parking brake	•	•	•
Cable storage	•	•	•
Water break tank	•	•	•
Spray Gun Holder	•	•	•
Onboard storage	•	•	•
Crane lifting point	•	•	•

Model	MC 9P-500/960 440/3/60
Ref. no.	107147025
PRODUCT FEATURES	
Pump oil warning system	•
Big wheels and convenient grip	•
Parking brake	•
Cable storage	•
Water break tank	•
Spray Gun Holder	•
Onboard storage	•
Crane lifting point	•

Technical specifications	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
Pump Pressure (bar/MPa)	360/36	360/36	500/50
Cleaning impact (kg/force)	9.66	9.66	8.67
Pump (RPM)	1460	1760	1460
Power consumption (kW)	18	18	18
Voltage/phase/frequency/current (V/~/Hz/A)	400/3/50/32	440/3/60/29	400/3/50/32
Water flow Qmax/Qiec (l/h)	1260	1260	960



All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

Technical specifications	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
El cable (m)	16	16	16
Nozzle size	1505	15045	1503
Max. inlet temperature (°C)	35	35	35
Dimensions, L x W x H (mm)	1100x500x980	1100x500x980	1100x500x980
Weight (kg)	245	245	255

Technical specifications	MC 9P-500/960 440/3/60
Pump Pressure (bar/MPa)	500/50
Cleaning impact (kg/force)	8.67
Pump (RPM)	1760
Power consumption (kW)	18
Voltage/phase/frequency/current (V/~/Hz/A)	440/3/60/29
Water flow Qmax/Qiec (l/h)	1260
El cable (m)	16
Nozzle size	0003
Max. inlet temperature (°C)	35
Dimensions, L x W x H (mm)	1100x500x980
Weight (kg)	255

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

	Accessories	Ref. no.	Min. required	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
High Pressure Hose, DN12						
	HOSE 1/2C WP 500 BAR 15M BSPF	700550097	0	●	●	●
	VHP HOSE 1/2 DN12 1100BAR M24-F 20M ACC	106404655	1	○	○	○
Spray Gun						
	VHP SPRAY GUN 800BAR M24 ACCESSORY	106404556	1	○	○	○
	VHP SPRAY GUN 1100BAR M24 ACCESSORY	106404557	1	○	○	○



All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

Accessories		Ref. no.	Min. required	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
	VHP SPRAYGUN 350BAR W/QUICK CONNECT ACC	106404651	0	•	•	
	VHP SPRAYGUN 500BAR 1/2BSPP-M"-1/2 F ACC	106404653	0			•
4-in-1 Lance						
	VHP LANCE 350BAR W/QUICK CONNECT ACC	106404652	0	•	•	
	VHP LANCE 500BAR W3/8" BSPF CONNECT ACC	106404654	0			•
Standard Nozzle 15° 1/8" NPT						
	NOZZLE 1503 1/4C BSPT S.S.	700550389	0			•
Standard Nozzle 0° 1/8" NPT						
	NOZZLE 0002 1/4" NPT	106404656	1	○	○	○
	NOZZLE 0003 1/4 BSPT S.S.	700550051	0			
Other						
	TST JACKET W/ HAND PROT. 2000BAR 2XL/3	106404563	1	○	○	○
	TST JACKET W/ HAND PROT. 2000BAR L/XL	106404562	1	○	○	○
	TST JACKET W/ HAND PROT. 2000BAR S/M	106404561	1	○	○	○

All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

Accessories		Ref. no.	Min. required	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
	TST TROUSERS 2000BAR 2XL/3XL	106404566	1	○	○	○
	TST TROUSERS 2000BAR L/XL	106404565	1	○	○	○
	TST TROUSERS 2000BAR S/M	106404564	1	○	○	○
	VHP PPE GAITERS 2000 BAR	700799024	1	○	○	○
	VHP PPE S.GEAR APRON STANDARD 2000BAR	700799071	1	○	○	○
	VHP PPE S.GEAR HOSE PROTECT DIA36x750MM	700799097	1	○	○	○
	VHP PPE S.GEAR HOSE PROTECT DIA36x1400MM	700799107	1	○	○	○
	VHP PPE SAFETY BALACLAVA	700799082	1	○	○	○
	VHP PPE SAFETY GOGGLES	700799093	1	○	○	○
	VHP PPE SAFETY HELMET W/EAR MUFF-FACE	700799091	1	○	○	○
Hose and Connection						
	HOSE CONNECTOR M24 ACCESSORY	106403212	1	○	○	○
Ergo System Coupling and Adapter						

All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

Accessories		Ref. no.	Min. required	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
	HOSE CONNECTOR 1/2 ACCESSORY	106404745	1	○	○	○
Hose, High Pressure						
	HOSE 1/2IN WP 500 BAR 20M BSPF	700550098	0	○	○	○
	VHP HOSE 500BAR 30M Accessory	700550099	1	○	○	○
	VHP HOSE 500BAR 50M Accessory	700550904	1	○	○	○
Nozzle Pressure Washer						
	NOZZLE 0005 1/4C BSPT S.S.	700550053	0	○	○	○
	NOZZLE 0008 1/4" BSPT S.S.	700550094	1	○	○	○
	NOZZLE 0009 1/4" BSPT S.S.	700550143	1	○	○	○
	NOZZLE 0010 1/4" BSPT S.S.	700550147	1	○	○	○
	NOZZLE 00025 1/4C BSPT HARDENE	700550831	0	○	○	○
	NOZZLE 00045 1/4C BSPT S.S.	700550019	0	○	○	○
	NOZZLE 00055 1/4C BSPT S.S.	700550054	0	○	○	○

All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

Accessories		Ref. no.	Min. required	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
	NOZZLE 00065 1/4" BSPT S.S	700551299	0	○	○	○
	NOZZLE 1502 1/4" BSPT S.S.	700550388	1	○	○	○
	NOZZLE 1504 1/4C BSPT S.S.	700550075	0	○	○	○
	NOZZLE 1505 1/4C BSPT S.S.	700550056	0	○	○	○
	NOZZLE 1508 1/4" BSPT S.S.	700550096	1	○	○	○
	NOZZLE 1509 1/4" BSPT S.S.	700550145	1	○	○	○
	NOZZLE 1510 1/4" BSPT S.S.	700550149	1	○	○	○
	NOZZLE 1511 1/4" BSPT S.S.	700550150	1	○	○	○
	NOZZLE 2504 1/4" BSPT S.S.	700550390	1	○	○	○
	NOZZLE 2505 1/4" BSPT S.S.	700550567	1	○	○	○
	NOZZLE 15025 1/4C BSPT S.S.	700550952	0	○	○	○
	NOZZLE 15045 1/4C BSPT S.S.	700550015	0	○	○	○



All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

	Accessories	Ref. no.	Min. required	MC 9P-350/1260 400/3/50	MC 9P-350/1500 440/3/60	MC 9P-500/960 400/3/50
	NOZZLE 15055 1/4C BSPT S.S	700550057	0	○	○	○
	NOZZLE 25045 1/4" BSPT S.S.	700550391	1	○	○	○
	NOZZLE 25055 1/4" BSPT S.S.	700550158	1	○	○	○
	ROTATING NOZZLE 0005 1/4" BSPP 350BAR	700551119	0	○		
	ROTATING NOZZLE 030 G1/4F 500BAR ACCES	106403215	0			○
	ROTATING NOZZLE 00045 1/4 BSPP 350BAR	700551503	0		○	
Adapter						
	NOZZLE ADAPTER 1/4 - 1/4 BSPT-M ACCES	106403213	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

	Accessories	Ref. no.	Min. required	MC 9P-500/960 440/3/60
High Pressure Hose, DN12				
	HOSE 1/2C WP 500 BAR 15M BSPF	700550097	0	●
	VHP HOSE 1/2 DN12 1100BAR M24-F 20M ACC	106404655	1	○
Spray Gun				
	VHP SPRAY GUN 800BAR M24 ACCESSORY	106404556	1	○



All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

	Accessories	Ref. no.	Min. required	MC 9P-500/960 440/3/60
	VHP SPRAY GUN 1100BAR M24 ACCESSORY	106404557	1	○
	VHP SPRAYGUN 350BAR W/QUICK CONNECT ACC	106404651	0	
	VHP SPRAYGUN 500BAR 1/2BSPP-M"-1/2 F ACC	106404653	0	•
4-in-1 Lance				
	VHP LANCE 350BAR W/QUICK CONNECT ACC	106404652	0	
	VHP LANCE 500BAR W3/8" BSPF CONNECT ACC	106404654	0	•
Standard Nozzle 15° 1/8" NPT				
	NOZZLE 1503 1/4C BSPT S.S.	700550389	0	
Standard Nozzle 0° 1/8" NPT				
	NOZZLE 0002 1/4" NPT	106404656	1	○
	NOZZLE 0003 1/4 BSPT S.S.	700550051	0	•
Other				
	TST JACKET W/ HAND PROT. 2000BAR 2XL/3	106404563	1	○
	TST JACKET W/ HAND PROT. 2000BAR L/XL	106404562	1	○

All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

Accessories		Ref. no.	Min. required	MC 9P-500/960 440/3/60
	TST JACKET W/ HAND PROT. 2000BAR S/M	106404561	1	○
	TST TROUSERS 2000BAR 2XL/3XL	106404566	1	○
	TST TROUSERS 2000BAR L/XL	106404565	1	○
	TST TROUSERS 2000BAR S/M	106404564	1	○
	VHP PPE GAITERS 2000 BAR	700799024	1	○
	VHP PPE S.GEAR APRON STANDARD 2000BAR	700799071	1	○
	VHP PPE S.GEAR HOSE PROTECT DIA36x750MM	700799097	1	○
	VHP PPE S.GEAR HOSE PROTECT DIA36x1400MM	700799107	1	○
	VHP PPE SAFETY BALACLAVA	700799082	1	○
	VHP PPE SAFETY GOGGLES	700799093	1	○
	VHP PPE SAFETY HELMET W/EAR MUFF-FACE	700799091	1	○
Hose and Connection				

All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

	Accessories	Ref. no.	Min. required	MC 9P-500/960 440/3/60
	HOSE CONNECTOR M24 ACCESSORY	106403212	1	○
Ergo System Coupling and Adapter				
	HOSE CONNECTOR 1/2 ACCESSORY	106404745	1	○
Hose, High Pressure				
	HOSE 1/2IN WP 500 BAR 20M BSPF	700550098	0	○
	VHP HOSE 500BAR 30M Accessory	700550099	1	○
	VHP HOSE 500BAR 50M Accessory	700550904	1	○
Nozzle Pressure Washer				
	NOZZLE 0005 1/4C BSPT S.S.	700550053	0	○
	NOZZLE 0008 1/4" BSPT S.S.	700550094	1	○
	NOZZLE 0009 1/4" BSPT S.S.	700550143	1	○
	NOZZLE 0010 1/4" BSPT S.S.	700550147	1	○
	NOZZLE 00025 1/4C BSPT HARDENE	700550831	0	○
	NOZZLE 00045 1/4C BSPT S.S.	700550019	0	○

All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

	Accessories	Ref. no.	Min. required	MC 9P-500/960 440/3/60
	NOZZLE 00055 1/4C BSPT S.S.	700550054	0	○
	NOZZLE 00065 1/4" BSPT S.S	700551299	0	○
	NOZZLE 1502 1/4" BSPT S.S.	700550388	1	○
	NOZZLE 1504 1/4C BSPT S.S.	700550075	0	○
	NOZZLE 1505 1/4C BSPT S.S.	700550056	0	○
	NOZZLE 1508 1/4" BSPT S.S.	700550096	1	○
	NOZZLE 1509 1/4" BSPT S.S.	700550145	1	○
	NOZZLE 1510 1/4" BSPT S.S.	700550149	1	○
	NOZZLE 1511 1/4" BSPT S.S.	700550150	1	○
	NOZZLE 2504 1/4" BSPT S.S.	700550390	1	○
	NOZZLE 2505 1/4" BSPT S.S.	700550567	1	○
	NOZZLE 15025 1/4C BSPT S.S.	700550952	0	○



All information provided in this document is subject to change without prior notice

Agile cleaning in tight spaces

	Accessories	Ref. no.	Min. required	MC 9P-500/960 440/3/60
	NOZZLE 15045 1/4C BSPT S.S.	700550015	0	○
	NOZZLE 15055 1/4C BSPT S.S	700550057	0	○
	NOZZLE 25045 1/4" BSPT S.S.	700550391	1	○
	NOZZLE 25055 1/4" BSPT S.S.	700550158	1	○
	ROTATING NOZZLE 0005 1/4" BSPP 350BAR	700551119	0	
	ROTATING NOZZLE 030 G1/4F 500BAR ACCES	106403215	0	○
	ROTATING NOZZLE 00045 1/4 BSPP 350BAR	700551503	0	
Adapter				
	NOZZLE ADAPTER 1/4 - 1/4 BSPT-M ACCES	106403213	0	○

All information provided in this document is subject to change without prior notice